

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

Provider Number	Nursing Home Name	Street
185241	MADONNA MANOR	2344 AMSTERDAM ROAD
185241	MADONNA MANOR	2344 AMSTERDAM ROAD
185241	MADONNA MANOR	2344 AMSTERDAM ROAD
185241	MADONNA MANOR	2344 AMSTERDAM ROAD
185241	MADONNA MANOR	2344 AMSTERDAM ROAD
185241	MADONNA MANOR	2344 AMSTERDAM ROAD
185241	MADONNA MANOR	2344 AMSTERDAM ROAD
185241	MADONNA MANOR	2344 AMSTERDAM ROAD
185241	MADONNA MANOR	2344 AMSTERDAM ROAD
185241	MADONNA MANOR	2344 AMSTERDAM ROAD

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

City	State	Zip Code	Phone	Survey Date	Date of Correction
VILLA HILLS	KY	41017	8593413981	04/21/2010	05/28/2010
VILLA HILLS	KY	41017	8593413981	04/21/2010	05/28/2010
VILLA HILLS	KY	41017	8593413981	04/21/2010	05/31/2010
VILLA HILLS	KY	41017	8593413981	04/21/2010	04/30/2010
VILLA HILLS	KY	41017	8593413981	04/21/2010	04/30/2010
VILLA HILLS	KY	41017	8593413981	04/21/2010	05/28/2010
VILLA HILLS	KY	41017	8593413981	04/22/2010	05/06/2010
VILLA HILLS	KY	41017	8593413981	04/22/2010	05/28/2010
VILLA HILLS	KY	41017	8593413981	04/22/2010	05/28/2010
VILLA HILLS	KY	41017	8593413981	04/22/2010	05/28/2010

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

Deficiency Type	Deficiency Category
FIRE SAFETY	Corridor Walls and Doors Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Emergency Plans and Fire Drills Deficiencies
FIRE SAFETY	Building Service Equipment Deficiencies
FIRE SAFETY	Furnishings and Decorations Deficiencies
FIRE SAFETY	Electrical Deficiencies
HEALTH	Mistreatment Deficiencies
HEALTH	Resident Rights Deficiencies
HEALTH	Environmental Deficiencies
HEALTH	Quality Care Deficiencies

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

Deficiency	Scope	Level of Harm
signs that state that exit doors are to be kept closed.	Some	2
did not have a written emergency evacuation plan.	Many	2
record of quarterly fire drills for each shift under varying conditions.	Many	2
restrictions on the use of portable space heaters.	Few	2
restrictions on the use of flammable curtains.	Some	2
weekly inspections and monthly testing of generators.	Some	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Provide care for residents in a way that keeps or builds each resident's dignity and respect of individuality.	Some	2
Maintain comfortable and safe temperature levels.	Some	2
Make sure services provided by the nursing facility meet professional	Few	2

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

185241	MADONNA MANOR	2344 AMSTERDAM ROAD
--------	---------------	---------------------

185241	MADONNA MANOR	2344 AMSTERDAM ROAD
--------	---------------	---------------------

185241	MADONNA MANOR	2344 AMSTERDAM ROAD
--------	---------------	---------------------

185241	MADONNA MANOR	2344 AMSTERDAM ROAD
--------	---------------	---------------------

185241	MADONNA MANOR	2344 AMSTERDAM ROAD
--------	---------------	---------------------

185241	MADONNA MANOR	2344 AMSTERDAM ROAD
--------	---------------	---------------------

185241	MADONNA MANOR	2344 AMSTERDAM ROAD
--------	---------------	---------------------

185241	MADONNA MANOR	2344 AMSTERDAM ROAD
--------	---------------	---------------------

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

VILLA HILLS	KY	41017	8593413981	04/22/2010	05/06/2010
VILLA HILLS	KY	41017	8593413981	04/22/2010	05/11/2010
VILLA HILLS	KY	41017	8593413981	04/05/2011	05/09/2011
VILLA HILLS	KY	41017	8593413981	04/06/2011	05/09/2011
VILLA HILLS	KY	41017	8593413981	04/06/2011	05/09/2011
VILLA HILLS	KY	41017	8593413981	04/06/2011	05/09/2011
VILLA HILLS	KY	41017	8593413981	04/06/2011	05/09/2011
VILLA HILLS	KY	41017	8593413981	04/06/2011	05/09/2011

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

HEALTH

Quality Care Deficiencies

HEALTH

Quality Care Deficiencies

FIRE SAFETY

Miscellaneous Deficiencies

HEALTH

Mistreatment Deficiencies

HEALTH

Mistreatment Deficiencies

HEALTH

Nutrition and Dietary Deficiencies

HEALTH

Administration Deficiencies

HEALTH

Administration Deficiencies

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

nursing facility meet professional standards of quality.		
Make sure that each residents' abilities in activities of daily living do not decline, unless unavoidable.	Few	2
Make sure that residents with reduced range of motion get proper treatment and services to increase range of motion.	Some	2
other fire safety features required by fire safety codes.	Many	2
1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or mistreatment of residents.	Few	2
Develop policies that prevent mistreatment, neglect, or abuse of residents or theft of resident property.	Few	2
Store, cook, and serve food in a safe and clean way.	Many	2
Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Few	2
Set up an ongoing quality assessment and assurance group to review quality deficiencies quarterly, and develop	Few	2



# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

185241	MADONNA MANOR	2344 AMSTERDAM ROAD
185241	MADONNA MANOR	2344 AMSTERDAM ROAD
185241	MADONNA MANOR	2344 AMSTERDAM ROAD
185241	MADONNA MANOR	2344 AMSTERDAM ROAD
185241	MADONNA MANOR	2344 AMSTERDAM ROAD
185241	MADONNA MANOR	2344 AMSTERDAM ROAD
365714	ST LEONARD HCC	8100 CLYO ROAD
365714	ST LEONARD HCC	8100 CLYO ROAD
365714	ST LEONARD HCC	8100 CLYO ROAD
365714	ST LEONARD HCC	8100 CLYO ROAD
365714	ST LEONARD HCC	8100 CLYO ROAD

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

VILLA HILLS	KY	41017	8593413981	05/23/2012	06/30/2012
VILLA HILLS	KY	41017	8593413981	05/23/2012	06/30/2012
VILLA HILLS	KY	41017	8593413981	05/23/2012	06/30/2012
VILLA HILLS	KY	41017	8593413981	05/23/2012	06/30/2012
VILLA HILLS	KY	41017	8593413981	05/23/2012	06/30/2012
VILLA HILLS	KY	41017	8593413981	05/24/2012	06/30/2012
CENTERVILLE	OH	45458	9374366340	03/12/2009	05/12/2009
CENTERVILLE	OH	45458	9374366340	03/12/2009	05/12/2009
CENTERVILLE	OH	45458	9374366340	03/12/2009	05/12/2009
CENTERVILLE	OH	45458	9374366340	03/12/2009	05/12/2009
CENTERVILLE	OH	45458	9374366340	03/13/2009	05/12/2009

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY

Smoke Compartmentation and Control Deficiencies

FIRE SAFETY

Fire Alarm Systems Deficiencies

FIRE SAFETY

Automatic Sprinkler Systems Deficiencies

FIRE SAFETY

Furnishings and Decorations Deficiencies

FIRE SAFETY

Electrical Deficiencies

HEALTH

Pharmacy Service Deficiencies

FIRE SAFETY

Fire Alarm Systems Deficiencies

FIRE SAFETY

Medical Gases and Anesthetizing Areas Deficiencies

FIRE SAFETY

Electrical Deficiencies

FIRE SAFETY

Electrical Deficiencies

HEALTH

Mistreatment Deficiencies

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

deficiencies quarterly, and develop corrective plans of action.		
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Many	2
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
automatic sprinkler systems that have been maintained in working order.	Many	2
restrictions on the use of highly flammable materials.	Some	2
properly installed electrical wiring and equipment.	Few	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
properly maintained smoke detectors.	Many	2
proper medical gas storage and administration areas.	Few	2
weekly inspections and monthly testing of generators.	Many	2
properly installed electrical wiring and equipment.	Few	2
Keep each resident free from physical	Few	2

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

365714	ST LEONARD HCC	8100 CLYO ROAD
--------	----------------	----------------

365714	ST LEONARD HCC	8100 CLYO ROAD
--------	----------------	----------------

365714	ST LEONARD HCC	8100 CLYO ROAD
--------	----------------	----------------

365714	ST LEONARD HCC	8100 CLYO ROAD
--------	----------------	----------------

365714	ST LEONARD HCC	8100 CLYO ROAD
--------	----------------	----------------

365714	ST LEONARD HCC	8100 CLYO ROAD
--------	----------------	----------------

365714	ST LEONARD HCC	8100 CLYO ROAD
--------	----------------	----------------

365714	ST LEONARD HCC	8100 CLYO ROAD
--------	----------------	----------------

365714	ST LEONARD HCC	8100 CLYO ROAD
--------	----------------	----------------

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

CENTERVILLE	OH	45458	9374366340	03/13/2009	05/12/2009
-------------	----	-------	------------	------------	------------

CENTERVILLE	OH	45458	9374366340	03/13/2009	05/12/2009
-------------	----	-------	------------	------------	------------

CENTERVILLE	OH	45458	9374366340	03/13/2009	05/12/2009
-------------	----	-------	------------	------------	------------

CENTERVILLE	OH	45458	9374366340	04/13/2010	07/14/2010
-------------	----	-------	------------	------------	------------

CENTERVILLE	OH	45458	9374366340	04/13/2010	07/14/2010
-------------	----	-------	------------	------------	------------

CENTERVILLE	OH	45458	9374366340	04/13/2010	07/14/2010
-------------	----	-------	------------	------------	------------

CENTERVILLE	OH	45458	9374366340	04/13/2010	07/14/2010
-------------	----	-------	------------	------------	------------

CENTERVILLE	OH	45458	9374366340	04/15/2010	07/14/2010
-------------	----	-------	------------	------------	------------

CENTERVILLE	OH	45458	9374366340	06/23/2011	08/12/2011
-------------	----	-------	------------	------------	------------

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

HEALTH

Resident Assessment Deficiencies

HEALTH

Resident Assessment Deficiencies

HEALTH

Environmental Deficiencies

FIRE SAFETY

Building Construction Deficiencies

FIRE SAFETY

Exits and Egress Deficiencies

FIRE SAFETY

Emergency Plans and Fire Drills Deficiencies

FIRE SAFETY

Electrical Deficiencies

HEALTH

Environmental Deficiencies

HEALTH

Mistreatment Deficiencies

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

restraints, unless needed for medical treatment.

Conduct initial and periodic assessments of each resident's functional capacity.	Few	2
--	-----	---

Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
--	-----	---

Make sure that the nursing home area is free from accident hazards and risks and provides supervision to prevent avoidable accidents.	Few	3
---	-----	---

approved construction type or materials.	Some	2
--	------	---

exits that are accessible at all times.	Some	2
---	------	---

record of quarterly fire drills for each shift under varying conditions.	Many	2
--	------	---

properly installed electrical wiring and equipment.	Few	2
---	-----	---

Have a program that investigates, controls and keeps infection from spreading.	Few	2
--	-----	---

1) Hire only people with no legal history of abusing, neglecting or mistreating residents; or 2) report and investigate any acts or reports of abuse, neglect or	Few	2
--	-----	---



# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

365714

ST LEONARD HCC

8100 CLYO ROAD

365714

ST LEONARD HCC

8100 CLYO ROAD

365714

ST LEONARD HCC

8100 CLYO ROAD

365907

FRANCISCAN CARE CTR SYLVANIA

4111 HOLLAND SYLVANIA  
RD

365907

FRANCISCAN CARE CTR SYLVANIA

4111 HOLLAND SYLVANIA  
RD

365907

FRANCISCAN CARE CTR SYLVANIA

4111 HOLLAND SYLVANIA  
RD

365907

FRANCISCAN CARE CTR SYLVANIA

4111 HOLLAND SYLVANIA  
RD

365907

FRANCISCAN CARE CTR SYLVANIA

4111 HOLLAND SYLVANIA  
RD

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

CENTERVILLE	OH	45458	9374366340	06/23/2011	08/12/2011
-------------	----	-------	------------	------------	------------

CENTERVILLE	OH	45458	9374366340	06/23/2011	08/12/2011
-------------	----	-------	------------	------------	------------

CENTERVILLE	OH	45458	9374366340	06/28/2011	08/12/2011
-------------	----	-------	------------	------------	------------

TOLEDO	OH	43623	4198826582	05/26/2010	06/03/2010
--------	----	-------	------------	------------	------------

TOLEDO	OH	43623	4198826582	05/26/2010	06/03/2010
--------	----	-------	------------	------------	------------

TOLEDO	OH	43623	4198826582	05/26/2010	06/03/2010
--------	----	-------	------------	------------	------------

TOLEDO	OH	43623	4198826582	09/20/2012	10/29/2012
--------	----	-------	------------	------------	------------

TOLEDO	OH	43623	4198826582	09/20/2012	10/29/2012
--------	----	-------	------------	------------	------------

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

HEALTH

Pharmacy Service Deficiencies

HEALTH

Environmental Deficiencies

FIRE SAFETY

Emergency Plans and Fire Drills Deficiencies

FIRE SAFETY

Corridor Walls and Doors Deficiencies

FIRE SAFETY

Corridor Walls and Doors Deficiencies

FIRE SAFETY

Building Service Equipment Deficiencies

HEALTH

Quality Care Deficiencies

HEALTH

Pharmacy Service Deficiencies

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

mistreatment of residents.

1) Make sure that each resident's drug regimen is free from unnecessary drugs; Few 2

2) Each resident's entire drug/medication is managed and monitored to achieve highest well being.

Have a program that investigates, controls and keeps infection from spreading. Many 2

record of quarterly fire drills for each shift under varying conditions. Many 2

corridors that are separated from common areas by walls constructed to limit the passage of smoke. Few 2

corridor and hallway doors that block smoke. Many 2

properly protected cooking facilities. Few 2

Provide necessary care and services to maintain the highest well being of each resident . Few 2

1) Make sure that each resident's drug regimen is free from unnecessary drugs; Few 2  
2) Each resident's entire drug/medication is managed and monitored to achieve highest well being.

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

365907	FRANCISCAN CARE CTR SYLVANIA	4111 HOLLAND SYLVANIA RD
--------	------------------------------	-----------------------------

365907	FRANCISCAN CARE CTR SYLVANIA	4111 HOLLAND SYLVANIA RD
--------	------------------------------	-----------------------------

365907	FRANCISCAN CARE CTR SYLVANIA	4111 HOLLAND SYLVANIA RD
--------	------------------------------	-----------------------------

365907	FRANCISCAN CARE CTR SYLVANIA	4111 HOLLAND SYLVANIA RD
--------	------------------------------	-----------------------------

365907	FRANCISCAN CARE CTR SYLVANIA	4111 HOLLAND SYLVANIA RD
--------	------------------------------	-----------------------------

365907	FRANCISCAN CARE CTR SYLVANIA	4111 HOLLAND SYLVANIA RD
--------	------------------------------	-----------------------------

365907	FRANCISCAN CARE CTR SYLVANIA	4111 HOLLAND SYLVANIA RD
--------	------------------------------	-----------------------------

365907	FRANCISCAN CARE CTR SYLVANIA	4111 HOLLAND SYLVANIA RD
--------	------------------------------	-----------------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

TOLEDO	OH	43623	4198826582	09/20/2012	10/29/2012
--------	----	-------	------------	------------	------------

TOLEDO	OH	43623	4198826582	09/20/2012	10/29/2012
--------	----	-------	------------	------------	------------

TOLEDO	OH	43623	4198826582	09/20/2012	10/29/2012
--------	----	-------	------------	------------	------------

TOLEDO	OH	43623	4198826582	09/21/2012	10/29/2012
--------	----	-------	------------	------------	------------

TOLEDO	OH	43623	4198826582	09/21/2012	10/29/2012
--------	----	-------	------------	------------	------------

TOLEDO	OH	43623	4198826582	09/21/2012	10/29/2012
--------	----	-------	------------	------------	------------

TOLEDO	OH	43623	4198826582	09/21/2012	10/29/2012
--------	----	-------	------------	------------	------------

TOLEDO	OH	43623	4198826582	09/21/2012	10/29/2012
--------	----	-------	------------	------------	------------

SANDUSKY	OH	44870	4196272273	04/09/2009	05/08/2009
----------	----	-------	------------	------------	------------

SANDUSKY	OH	44870	4196272273	04/09/2009	05/08/2009
----------	----	-------	------------	------------	------------

SANDUSKY	OH	44870	4196272273	04/09/2009	05/08/2009
----------	----	-------	------------	------------	------------

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

HEALTH

Pharmacy Service Deficiencies

HEALTH

Pharmacy Service Deficiencies

HEALTH

Administration Deficiencies

FIRE SAFETY

Exits and Egress Deficiencies

FIRE SAFETY

Emergency Plans and Fire Drills Deficiencies

FIRE SAFETY

Fire Alarm Systems Deficiencies

FIRE SAFETY

Automatic Sprinkler Systems Deficiencies

FIRE SAFETY

Electrical Deficiencies

FIRE SAFETY

Corridor Walls and Doors Deficiencies

FIRE SAFETY

Exits and Egress Deficiencies

FIRE SAFETY

Illumination and Emergency Power Deficiencies

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

At least once a month, have a licensed pharmacist review each resident's medication(s) and report any irregularities to the attending doctor.	Few	2
Maintain drug records and properly mark/label drugs and other similar products according to accepted professional standards.	Few	2
Train all employees on what to do in an emergency, and carry out announced staff drills.	Many	1
proper exit design.	Some	2
record of quarterly fire drills for each shift under varying conditions.	Many	1
an approved installation, maintenance and testing program for fire alarm systems.	Some	2
an approved automatic sprinkler system connected to the fire alarm system.	Some	2
properly installed electrical wiring and equipment.	Some	2
corridor and hallway doors that block smoke.	Some	2
exits that are accessible at all times.	Some	2
properly located and lighted "Exit" signs.	Some	2



# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

SANDUSKY	OH	44870	4196272273	04/09/2009	05/08/2009
SANDUSKY	OH	44870	4196272273	04/09/2009	05/08/2009
SANDUSKY	OH	44870	4196272273	04/09/2009	05/08/2009
SANDUSKY	OH	44870	4196272273	04/09/2009	05/08/2009
SANDUSKY	OH	44870	4196272273	04/09/2009	05/08/2009
SANDUSKY	OH	44870	4196272273	04/09/2009	05/08/2009
SANDUSKY	OH	44870	4196272273	04/09/2009	05/08/2009
SANDUSKY	OH	44870	4196272273	06/16/2010	08/10/2010
SANDUSKY	OH	44870	4196272273	06/16/2010	08/10/2010
SANDUSKY	OH	44870	4196272273	06/16/2010	08/10/2010
SANDUSKY	OH	44870	4196272273	06/16/2010	06/29/2010

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY

Fire Alarm Systems Deficiencies

FIRE SAFETY

Building Service Equipment Deficiencies

FIRE SAFETY

Electrical Deficiencies

FIRE SAFETY

Hazardous Area Deficiencies

HEALTH

Quality Care Deficiencies

HEALTH

Quality Care Deficiencies

HEALTH

Environmental Deficiencies

FIRE SAFETY

Corridor Walls and Doors Deficiencies

FIRE SAFETY

Corridor Walls and Doors Deficiencies

FIRE SAFETY

Illumination and Emergency Power Deficiencies

FIRE SAFETY

Emergency Plans and Fire Drills Deficiencies

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

an approved installation, maintenance and testing program for fire alarm systems.	Many	2
heating and ventilation systems that have been properly installed according to the manufacturer's instructions.	Many	2
weekly inspections and monthly testing of generators.	Many	2
properly installed hallway dispensers for alcohol-based hand rub.	Many	2
Make sure services provided by the nursing facility meet professional standards of quality.	Few	2
Develop policies and procedures for influenza and pneumococcal immunizations.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Few	2
corridors that are separated from common areas by walls constructed to limit the passage of smoke.	Some	2
corridor and hallway doors that block smoke.	Many	2
proper backup exit lighting.	Some	2
record of quarterly fire drills for each	Many	1

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

SANDUSKY	OH	44870	4196272273	06/16/2010	08/10/2010
SANDUSKY	OH	44870	4196272273	06/16/2010	08/10/2010
SANDUSKY	OH	44870	4196272273	06/16/2010	08/10/2010
SANDUSKY	OH	44870	4196272273	06/21/2010	08/10/2010
SANDUSKY	OH	44870	4196272273	06/21/2010	08/10/2010
SANDUSKY	OH	44870	4196272273	06/21/2010	08/10/2010
SANDUSKY	OH	44870	4196272273	06/21/2010	08/10/2010
SANDUSKY	OH	44870	4196272273	08/08/2011	10/17/2011
SANDUSKY	OH	44870	4196272273	08/08/2011	10/17/2011

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY

Fire Alarm Systems Deficiencies

FIRE SAFETY

Building Service Equipment Deficiencies

FIRE SAFETY

Electrical Deficiencies

HEALTH

Quality Care Deficiencies

HEALTH

Quality Care Deficiencies

HEALTH

Pharmacy Service Deficiencies

HEALTH

Environmental Deficiencies

FIRE SAFETY

Corridor Walls and Doors Deficiencies

FIRE SAFETY

Hazardous Area Deficiencies

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

shift under varying conditions.		
an approved installation, maintenance and testing program for fire alarm systems.	Many	2
an externally vented heating system.	Many	2
weekly inspections and monthly testing of generators.	Many	2
Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	2
Make sure that residents with reduced range of motion get proper treatment and services to increase range of motion.	Few	2
1) Make sure that each resident's drug regimen is free from unnecessary drugs; 2) Each resident's entire drug/medication is managed and monitored to achieve highest well being.	Few	2
Have a program that investigates, controls and keeps infection from spreading.	Some	2
corridor and hallway doors that block smoke.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing	Some	2



# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
--------	------------------------	-------------------

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

SANDUSKY	OH	44870	4196272273	08/08/2011	10/17/2011
SANDUSKY	OH	44870	4196272273	08/08/2011	10/17/2011
SANDUSKY	OH	44870	4196272273	08/08/2011	10/17/2011
SANDUSKY	OH	44870	4196272273	08/08/2011	10/17/2011
SANDUSKY	OH	44870	4196272273	08/25/2011	10/17/2011

SANDUSKY	OH	44870	4196272273	08/25/2011	10/17/2011
SANDUSKY	OH	44870	4196272273	08/25/2011	10/17/2011
SANDUSKY	OH	44870	4196272273	08/25/2011	10/17/2011

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY

Exits and Egress Deficiencies

FIRE SAFETY

Illumination and Emergency Power Deficiencies

FIRE SAFETY

Automatic Sprinkler Systems Deficiencies

FIRE SAFETY

Medical Gases and Anesthetizing Areas Deficiencies

HEALTH

Resident Rights Deficiencies

HEALTH

Resident Assessment Deficiencies

HEALTH

Quality Care Deficiencies

HEALTH

Quality Care Deficiencies

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

system.

proper exit design.	Some	2
---------------------	------	---

emergency lighting that can last at least 1 1/2 hours.	Many	2
--	------	---

automatic sprinkler systems that have been maintained in working order.	Some	2
---	------	---

proper medical gas storage and administration areas.	Some	2
--	------	---

Give each resident a notice of rights, rules, services and charges. Tell each resident who can get Medicaid benefits about 1) which items and services Medicaid covers and which the resident must pay for.	Some	1
---	------	---

Develop a complete care plan that meets all of a resident's needs, with timetables and actions that can be measured.	Few	2
--	-----	---

Give residents proper treatment to prevent new bed (pressure) sores or heal existing bed sores.	Few	3
---	-----	---

Give proper treatment to residents with feeding tubes to prevent problems (such as aspiration pneumonia, diarrhea, vomiting, dehydration, metabolic abnormalities, nasal-pharyngeal ulcers)	Few	2
---	-----	---

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
366279	ROSARY CARE CENTER	6832 CONVENT BOULEVARD
366279	ROSARY CARE CENTER	6832 CONVENT BOULEVARD
366279	ROSARY CARE CENTER	6832 CONVENT BOULEVARD
366279	ROSARY CARE CENTER	6832 CONVENT BOULEVARD
366279	ROSARY CARE CENTER	6832 CONVENT BOULEVARD
366279	ROSARY CARE CENTER	6832 CONVENT BOULEVARD
366279	ROSARY CARE CENTER	6832 CONVENT BOULEVARD
366279	ROSARY CARE CENTER	6832 CONVENT BOULEVARD
366279	ROSARY CARE CENTER	6832 CONVENT BOULEVARD
366279	ROSARY CARE CENTER	6832 CONVENT

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

SANDUSKY	OH	44870	4196272273	08/25/2011	10/17/2011
SYLVANIA	OH	43560	4198822016	03/23/2010	04/30/2010
SYLVANIA	OH	43560	4198822016	03/23/2010	04/30/2010
SYLVANIA	OH	43560	4198822016	03/23/2010	04/30/2010
SYLVANIA	OH	43560	4198822016	03/23/2010	04/30/2010
SYLVANIA	OH	43560	4198822016	03/23/2010	04/30/2010
SYLVANIA	OH	43560	4198822016	03/23/2010	04/30/2010
SYLVANIA	OH	43560	4198822016	03/23/2010	04/30/2010
SYLVANIA	OH	43560	4198822016	03/25/2010	04/30/2010
SYLVANIA	OH	43560	4198822016	03/25/2010	04/30/2010
SYLVANIA	OH	43560	4198822016	03/25/2010	03/25/2010

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

HEALTH

Nutrition and Dietary Deficiencies

FIRE SAFETY

Building Construction Deficiencies

FIRE SAFETY

Smoke Compartmentation and Control Deficiencies

FIRE SAFETY

Hazardous Area Deficiencies

FIRE SAFETY

Emergency Plans and Fire Drills Deficiencies

FIRE SAFETY

Emergency Plans and Fire Drills Deficiencies

FIRE SAFETY

Automatic Sprinkler Systems Deficiencies

FIRE SAFETY

Electrical Deficiencies

HEALTH

Resident Rights Deficiencies

HEALTH

Quality Care Deficiencies

HEALTH

Environmental Deficiencies

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

and help restore eating skills, if possible.		
Store, cook, and serve food in a safe and clean way.	Many	2
approved construction type or materials.	Some	2
walls or barriers that prevent smoke from passing through and would resist fire for at least one hour.	Some	2
construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
did not have a written emergency evacuation plan.	Many	1
record of quarterly fire drills for each shift under varying conditions.	Many	1
automatic sprinkler systems that have been maintained in working order.	Many	2
weekly inspections and monthly testing of generators.	Many	2
Properly hold, secure and manage each resident's personal money which is deposited with the nursing home.	Some	1
Provide necessary care and services to maintain the highest well being of each resident .	Few	2
Make sure that the nursing home area is	Few	3



# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

BOULEVARD

366279

ROSARY CARE CENTER

6832 CONVENT  
BOULEVARD

366279

ROSARY CARE CENTER

6832 CONVENT  
BOULEVARD

366279

ROSARY CARE CENTER

6832 CONVENT  
BOULEVARD

366279

ROSARY CARE CENTER

6832 CONVENT  
BOULEVARD

366279

ROSARY CARE CENTER

6832 CONVENT  
BOULEVARD

366279

ROSARY CARE CENTER

6832 CONVENT  
BOULEVARD

366279

ROSARY CARE CENTER

6832 CONVENT  
BOULEVARD

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

SYLVANIA	OH	43560	4198822016	03/25/2010	04/30/2010
----------	----	-------	------------	------------	------------

SYLVANIA	OH	43560	4198822016	03/25/2010	04/30/2010
----------	----	-------	------------	------------	------------

SYLVANIA	OH	43560	4198822016	03/25/2010	04/30/2010
----------	----	-------	------------	------------	------------

SYLVANIA	OH	43560	4198822016	03/25/2010	04/30/2010
----------	----	-------	------------	------------	------------

SYLVANIA	OH	43560	4198822016	03/25/2010	04/30/2010
----------	----	-------	------------	------------	------------

SYLVANIA	OH	43560	4198822016	06/08/2011	07/28/2011
----------	----	-------	------------	------------	------------

SYLVANIA	OH	43560	4198822016	06/08/2011	07/28/2011
----------	----	-------	------------	------------	------------

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

HEALTH

Pharmacy Service Deficiencies

HEALTH

Pharmacy Service Deficiencies

HEALTH

Environmental Deficiencies

HEALTH

Administration Deficiencies

HEALTH

Administration Deficiencies

FIRE SAFETY

Corridor Walls and Doors Deficiencies

FIRE SAFETY

Hazardous Area Deficiencies

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

free from accident hazards and risks  
and provides supervision to prevent  
avoidable accidents.

1) Make sure that each resident's drug regimen is free from unnecessary drugs;	Few	2
2) Each resident's entire drug/medication is managed and monitored to achieve highest well being.		

Safely provide drugs and other similar products available, which are needed every day and in emergencies, by a licensed pharmacist.	Few	2
---	-----	---

Have a program that investigates, controls and keeps infection from spreading.	Some	2
--	------	---

Keep accurate, complete and organized clinical records on each resident that meet professional standards.	Some	1
---	------	---

Train all employees on what to do in an emergency, and carry out announced staff drills.	Many	1
--	------	---

corridor and hallway doors that block smoke.	Some	2
--	------	---

construction that can resist fire for one hour or an approved fire extinguishing system.	Some	2
--	------	---

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

366279	ROSARY CARE CENTER	6832 CONVENT BOULEVARD
366279	ROSARY CARE CENTER	6832 CONVENT BOULEVARD
366279	ROSARY CARE CENTER	6832 CONVENT BOULEVARD

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

SYLVANIA	OH	43560	4198822016	06/08/2011	07/28/2011
SYLVANIA	OH	43560	4198822016	06/09/2011	07/28/2011
SYLVANIA	OH	43560	4198822016	06/09/2011	07/28/2011

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

FIRE SAFETY

Medical Gases and Anesthetizing Areas Deficiencies

HEALTH

Quality Care Deficiencies

HEALTH

Pharmacy Service Deficiencies

# Survey Deficiency

Based on Nursing Home Compare - Survey Deficiency

proper medical gas storage and  
administration areas.

Few

2

Give residents proper treatment to  
prevent new bed (pressure) sores or  
heal existing bed sores.

Few

2

Keep the rate of medication errors  
(wrong drug, wrong dose, wrong time) to  
less than 5%.

Few

2